

# STROKE PATIENT DESTINATION

### I. PURPOSE

- A. Identify patients with symptoms of stroke based on a stroke screening scale (CPSS) and stroke severity scale (3I-SS).
- B. Transport patients to a Primary Stroke Center (PSC), Thrombectomy Stroke Center (TSC), or Comprehensive Stroke Center (CSC) based on last known well time and stroke severity.

### **II. STROKE CENTERS**

- A. <u>Primary Stroke Center (PSC)</u>: Ability to care for patients with acute ischemic stroke with intravenous thrombolytic therapy and inpatient care.
- B. <u>Thrombectomy Stroke Centers (TSC)</u>: Ability to concurrently provide endovascular therapy (EVT) for treatment of acute ischemic stroke associated large vessel occlusions including neurointerventional team, neurointensive care unit, advanced neuroimaging, and the ability to collect and review data on reperfusion therapy. There are three designations that hospital accrediting bodies may use under the Illinois state law.
  - 1. Thrombectomy Capable Stroke Center
  - 2. Thrombectomy Ready Stroke Center
  - 3. Primary Plus Stroke Center
- C. <u>Comprehensive Stroke Center (CSC)</u>: Ability to provide complex treatments of other cerebrovascular disease including endovascular therapy.

#### **III. STROKE SCALES**

A. Cincinnati Prehospital Stroke Scale (CPSS) - Stroke Screening

Facial Droop - Have patient show teeth or smile

- Normal = Both sides of the face move equally
- Abnormal = One side of the face does not move at all

<u>Arm Drift</u> - Have patient close eyes and hold arms out for 10 seconds with palms up

• Normal = Both arms move equally or not at all

• Abnormal = One arm drifts compared to the other

**Speech** - Have patient say, "You can't teach an old dog new tricks"

- Normal = Patient uses correct words with no slurring
- Abnormal = Slurred or inappropriate words or mute



# REGION 11 CHICAGO EMS SYSTEM POLICY

### B. 3-Item Stroke Scale (3I-SS) - Stroke Severity

The 3I-SS is scored 0-6. Assign a score from 0 to 2 for each of the three parts of the assessment. Add each section for the total score.

### Level of Consciousness (AVPU)

- 0 = Alert
- 1 = Arousable to voice only
- 2 = Arousable to noxious stimuli only, or unresponsive

#### Gaze Preference

- 0 = Normal eye movements
- 1 = Prefers to look to one side, but can move eyes to both sides
- 2 = Eyes are fixed in one direction

#### **Motor Function**

- $\overline{0}$  = Normal strength in arms and legs
- 1 = Can lift arm or leg, but cannot hold arm/leg up for 10 seconds
- 2 = None or minimal movement of arm or leg

#### **IV. STROKE DESTINATION CRITERIA**

- A. Patients with stroke symptoms are screened with the Cincinnati Prehospital Stroke Scale (CPSS).
- B. Patients with an abnormal CPSS or a suspected stroke will be assessed for stroke severity with the 3 Item Stroke Scale (3I-SS).
- C. Patients with a 3I-SS score of 4 or more and have a last known well time of less than 24 hours <u>OR</u> an unknown last known well time shall be transported to the closest Thrombectomy Stroke Center (TSC) or Comprehensive Stroke Center (CSC)
- D. Patients with a 3I-SS score of 3 or less shall be transported to the closest stroke center.
- E. Patients with a 3I-SS score of 4 or more and a last known well time greater than 24 hours shall be transported to the closest stroke center.

#### **V. HOSPITAL COMMUNICATION**

- A. Online Medical Control contact is required for all suspected stroke patients.
- B. Document time of hospital notification.



# REGION 11 CHICAGO EMS SYSTEM POLICY

Title: Stroke Patient Destination Section: Transportation Approved: EMS Medical Directors Consortium Effective: November 6, 2024

# **STROKE CENTERS**

# PRIMARY STROKE CENTERS (PSC)

Advocate Trinity Hospital **Ascension Saint Francis Hospital** Ascension Saint Joseph Hospital, Chicago Ascension Saints Mary & Elizabeth Medical Center - St. Mary Campus **Community First Medical Center** Endeavor Health Swedish Hospital Holy Cross Hospital Humboldt Park Health Insight Hospital & Medical Center John H. Stroger, Jr. Hospital of Cook County Loyola MacNeal Hospital Mount Sinai Hospital OSF Little Company of Mary Medical Center Saint Anthony Hospital Weiss Memorial Hospital West Suburban Medical Center

# THROMBECTOMY STROKE CENTERS (TSC)

Advocate Illinois Masonic Medical Center

# **COMPREHENSIVE STROKE CENTERS (CSC)**

Advocate Christ Medical Center Advocate Lutheran General Hospital Ascension Resurrection Medical Center Loyola University Medical Center Northwestern Memorial Hospital Rush University Medical Center UChicago Medicine UI Health

Updated: 12/16/22, 7/31/2023, 12/12/23; 8/5/24; 11/6/24