



<b>REGION 11 CHICAGO EMS SYSTEM POLICY</b>	Title: Transport of Patients with Suspected Acute Stroke
	Section: Transportation
	Approved: EMS Medical Directors Consortium
	Effective: November 28, 2018

## **TRANSPORT OF PATIENTS WITH SUSPECTED ACUTE STROKE**

I. Patients with stroke symptoms  $\leq 24$  hours in duration or of unknown time of last known normal shall be assessed using the Cincinnati Stroke Scale (CSS – Facial Droop, Arm Drift, Abnormal Speech). Screening for additional stroke syndromes shall be performed using the Finger-to-Nose (FTN) test. A severe stroke screen using the 3 Item Stroke Scale (3I-SS) shall subsequently be performed on all patients with an abnormal CSS (one or more abnormal CSS elements) or abnormal FTN test.

II. Patients with a negative or unobtainable CSS, FTN or 3I-SS may be transported to a Primary Stroke Center (PSC) or Comprehensive Stroke Center (CSC) if acute stroke is suspected by the Base Station or Paramedics.

ECRNs should seek consultation with an ECP for any situation in which there is a question as to the best receiving hospital for a patient with possible stroke symptoms.

III. Patients who have a 3I-SS score of  $\geq 4$  and have a known last normal time of  $\leq 6$  hours should be transported to the closest CSC. Only if the closest CSC is  $>15$  minutes travel time beyond the closest PSC, the patient should be transported to the closest PSC.

Patients who have a 3I-SS score of  $\geq 4$  and have a known last normal time of 6-24 hours or have an unknown last known normal time should be transported to the closest stroke center (PSC or CSC).

Patients who have a 3I-SS score of  $<4$  and have a known last normal time of  $<24$  hours or have an unknown last known normal time should be transported to the closest stroke center (PSC or CSC).

IV. In the event the closest appropriate stroke center is on ALS bypass, the "T + 5 minute" rule should be followed, i.e. if the transport time to the next closest stroke center is greater than an additional 5 minutes, the patient should be transported to the closest appropriate stroke center (PSC or CSC) on ALS bypass (see Notification and Monitoring of Hospital Resource Limitation(s)/Ambulance Bypass policy, Section VI.)

Patients with suspected acute stroke should not be transported to a stroke center which has notified Region 11 Base Stations regarding a temporary lack of CT scanners; they should instead be transported to the next closest appropriate stroke center.

Patients with suspected acute stroke can be diverted to the closest comprehensive emergency department if the patient is deemed too unstable for the longer transport to a stroke center (e.g. inability to oxygenate or ventilate the patient).



<b>REGION 11 CHICAGO EMS SYSTEM POLICY</b>	Title: Transport of Patients with Suspected Acute Stroke
	Section: Transportation
	Approved: EMS Medical Directors Consortium
	Effective: November 28, 2018

**Attachments:**

1. Summary of Acute Stroke Field Triage Criteria
2. List of Primary & Comprehensive Stroke Centers



<b>REGION 11 CHICAGO EMS SYSTEM POLICY</b>	Title: Transport of Patients with Suspected Acute Stroke
	Section: Transportation
	Approved: EMS Medical Directors Consortium
	Effective: November 28, 2018

Attachment 1

## **ACUTE STROKE FIELD TRIAGE CRITERIA**

- I. Patients with stroke symptoms  $\leq 24$  hours in duration or an unknown last known normal time shall be assessed with the Cincinnati Stroke Scale (CSS) and the Finger-to-Nose (FTN) test.
- II. Patients with an abnormality in one or more items of the CSS or FTN shall be subsequently assessed with the 3 Item Stroke Scale (3I-SS).
- III. Patients who have a 3I-SS score of  $\geq 4$  and have a known last normal time of  $\leq 6$  hours shall be transported to the closest Comprehensive Stroke Center (CSC). Only if the closest CSC is  $>15$  minutes travel time beyond the closest Primary Stroke Center (PSC), should the patient be transported to the closest PSC.
- IV. Patients who have a 3I-SS score of  $\geq 4$  and have a known last normal time 6-24 hours or have an unknown last known normal time should be transported to the closest stroke center (PSC or CSC).
- V. Patients who have a score of  $<4$  on the 3I-SS and have a known last known normal time of  $< 24$  hours or have an unknown last known normal time should be transported to the closest stroke center (PSC or CSC).
- VI. Patients with a negative or unobtainable CSS, FTN, or 3I-SS may be transported to a PSC or CSC if acute stroke or acute severe stroke is suspected by the Base Station or Paramedics.
- VII. **Cincinnati Stroke Scale (CSS):**
  - A. Positive CSS = One or more of the items are abnormal:
    1. Facial Droop - Have patient show teeth or smile  
Abnormal = one side does not move as the other
    2. Arm Drift - Have patient close eyes and hold arms out for 10 seconds with palms up  
Abnormal = one arm does not move or drifts down
    3. Abnormal Speech - Have patient say, "You can't teach an old dog new tricks"  
Abnormal = patient slurs words, uses wrong words or is unable to speak
- V. **Finger-to-Nose (FTN):**
  - A. The (FTN) assessment is a screen for posterior circulation strokes that affect the balance center in the brain.



<b>REGION 11 CHICAGO EMS SYSTEM POLICY</b>	Title: Transport of Patients with Suspected Acute Stroke
	Section: Transportation
	Approved: EMS Medical Directors Consortium
	Effective: November 28, 2018

- B. Have the patient touch their nose and then the provider's finger repeatedly, with each hand. A normal exam is one where the patient can smoothly touch their nose and the provider's finger.
- C. An abnormal exam is one where the patient demonstrates dysmetria (unable to touch finger following a straight path) on either side or both.

**VI. 3-Item Stroke Scale (3I-SS):**

A. The 3I-SS is scored 0-6. Assign a score from 0 to 2 for each of the three parts of the assessment. Add each section for the total score:

- 1. Level of Consciousness (AVPU)
  - 0 = Alert
  - 1 = Arousable to voice only
  - 2 = Arousable to noxious stimuli only, or unresponsive
- 2. Gaze Preference
  - 0 = Normal eye movements
  - 1 = Prefers to look to one side, but can move eyes to both sides
  - 2 = Eyes are fixed in one direction
- 3. Motor Function
  - 0 = Normal strength in arms and legs
  - 1 = Can lift arm or leg, but cannot hold arm/leg up for 10 seconds
  - 2 = None or minimal movement of arm or leg



<b>REGION 11 CHICAGO EMS SYSTEM POLICY</b>	Title: Transport of Patients with Suspected Acute Stroke
	Section: Transportation
	Approved: EMS Medical Directors Consortium
	Effective: November 28, 2018

Attachment 2

## **PRIMARY & COMPREHENSIVE STROKE CENTERS**

### **PRIMARY STROKE CENTERS (PSC)**

Advocate Illinois Masonic Medical Center  
Advocate Trinity Hospital  
Ascension Saint Francis Hospital  
Ascension Saint Joseph Hospital, Chicago  
Ascension Saints Mary & Elizabeth Medical Center - St. Mary Campus  
Community First Medical Center  
Holy Cross Hospital  
Humboldt Park Health  
Insight Hospital & Medical Center  
John H. Stroger, Jr. Hospital of Cook County  
Loyola MacNeal Hospital  
Mount Sinai Hospital  
OSF Little Company of Mary Medical Center  
Saint Anthony Hospital  
Swedish Hospital part of NorthShore  
Weiss Memorial Hospital  
West Suburban Medical Center

### **COMPREHENSIVE STROKE CENTERS (CSC)**

Advocate Christ Medical Center  
Advocate Lutheran General Hospital  
Ascension Resurrection Medical Center  
Loyola University Medical Center  
Northwestern Memorial Hospital  
Rush University Medical Center  
UChicago Medicine  
UI Health

Updated: 12/16/22